

TROILUS STUDIO WORKSTATION Assembly Instructions



ROJAN PRO | **Troilus** Studio Workstation

Assembly Instructions



Studiospares Europe Ltd. 19-21 Bilton Way, Luton LU1 1UU, UK www.studiospares.com sales@studiospares.com +44 (0)20 8208 9930

Components:



Z1: Horizontal hole nut 6 x M4

Z2: Cross Recessed Pan Head Screw 12 x M4 x 10mm



Z3: Cross Recessed Pan Head Screw 6 x M4 x 35mm



Z4: Hex socket countersunk head furniture screw 8 x M6 x 10mm

Z5: Hex socket countersunk head furniture screw 10 x M6 x 35mm



Z6: Hex socket countersunk head furniture screw 12 x M6 x 40mm



Z7: Flat washer 4 x M4



Z8: Flat washer 4 x M6




Z9: Hex lock nut with nonmetallic insert 4 x M4



Z10: Hex lock nut with nonmetallic insert 12 x M6




Z11: Feet, 4pcs



Z12: Guide mounting racks, 4pcs





Z13: Cartridge mounting strip , 4pcs





Key (Use with Z4, Z5 & Z6)





1x Lower plate



You will receive two boxes.

Contents of box 1

Contents of box 2



1) Assemble (Z12) feet on (A) leg bracket

Repeat this step for both (A) leg brackets.




Position (A) leg brackets vertically for easier assembly on the next step.



2) Assemble (C) upper cross bar on (A) leg bracket with (Z7).

Assemble (B) lower cross bar on (A) leg bracket with (Z6), (Z9) and (Z11), using the the Hex Keys (Z16) and (Z17).







3) Assemble (Z13) guide mounting racks on (E) middle desk plate with (Z2) using a Phillips-Head screwdriver.




4) Disassemble double-folded rail (Z15) by extending the rail, lifting the latch and seperating the two sections of the rail.





5) Assemble the outer rail on (Z13) guide mounting rack with (Z2), (Z8) and (Z10) using a Phillips-head screwdriver and an adjustable spanner to hold (Z10) in place.









6) Assemble the inner rail on (F) movable tray plate with (Z1) and (Z3).




Insert (Z1) into the holes as shown.

Positon the inner rail.



Insert and tighten (Z13) using a Phillips-head screw driver holding (Z1) in place with a flathead screwdriver.







7) Assemble inner rail on (F)movable tray plate witb (Z1 and (Z3), using the Hex-Key (Z16)



8) Assemble (Z14) cartridge mounting stripe on (C) upper cross bar with (Z5 and (Z11).



Assemble (D) top desk plate on (A) leg bracket with (Z6).




9) Fix G Lower Plate on B lower cross bar with (Z5).



10) Fix (E) middle desk plate on (A) leg bracket with (Z6).







11) Assemble (F) movable tray plate into (Z15) outer rail. Then your assembly of the Troilus Studio Workstation is complete.